

MOISTURE GUARD CLEAR SPRAY

Page: 1

Compilation date: 12/12/2014

Revision date: 12/12/2017

Revision No: 7

# Section 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

# Product name: MOISTURE GUARD CLEAR SPRAY

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of substance / mixture: Corrosion Inhibitor

# **1.3.** Details of the supplier of the safety data sheet

# Company name: ROCOL

	ROCOL House
	Swillington
	Leeds
	West Yorkshire
	LS26 8BS
	ENGLAND
Tel:	+44 (0) 113 232 2700
Fax:	+44 (0) 113 232 2740
Email:	customer-service@rocol.com

# 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

# Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP:	Skin Irrit. 2: H315; STOT SE 3: H336; Aquatic Chronic 3: H412; Flam. Aerosol 1: H222; -:
	H229
Most important adverse effects:	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin
	irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting
	effects.

## 2.2. Label elements

Label elements:		
Hazard statements:	H222: Extremely flammable aerosol.	
	H229: Pressurised container: May burst if heated	
	H315: Causes skin irritation.	
	H336: May cause drowsiness or dizziness.	
	H412: Harmful to aquatic life with long lasting effects.	
Hazard pictograms:	GHS02: Flame	
	GHS07: Exclamation mark	[cont]

MOISTURE GUARD CLEAR SPRAY



Signal words:	Danger
Precautionary statements:	P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
	P251: Do not pierce or burn, even after use.
	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking.
	P211: Do not spray on an open flame or other ignition source.
	P285: In case of inadequate ventilation wear respiratory protection.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+352: IF ON SKIN: Wash with plenty of water/.
0. Others because	

# 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

# Hazardous ingredients:

#### HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE) - REACH registered number(s): EXEMPT

EINECS	CAS	PBT / WEL	CLP Classification	Percent
270-704-2	68476-85-7	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	>50%

# HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS - REACH registered number(s): 01-21194755-33-XXXX

927-510-4	64742-49-0	-	Flam. Liq. 2: H225; Aquatic Chronic 2:	15-20%
			H411; Skin Irrit. 2: H315; STOT SE 3:	
			H336; Asp. Tox. 1: H304; -: EUH066	

# ACETONE

200-662-2	67-64-1	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%
			STOT SE 3: H336; -: EUH066	

# Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

Page: 2

#### MOISTURE GUARD CLEAR SPRAY

# 4.2. Most important symptoms and effects, both acute and delayed Skin contact: There may be irritation and redness at the site of contact. Eye contact: There may be irritation and redness. The eyes may water profusely. Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur. Delayed / immediate effects: No data available. 4.3. Indication of any immediate medical attention and special treatment needed Immediate / special treatment: No data available. Section 5: Fire-fighting measures 5.1. Extinguishing media Extinguishing media: Do not use water. Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers. 5.2. Special hazards arising from the substance or mixture Exposure hazards: Extremely flammable. Forms explosive air-vapour mixture. In combustion emits toxic fumes of carbon dioxide / carbon monoxide. 5.3. Advice for fire-fighters Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Section 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition. 6.2. Environmental precautions Environmental precautions: Do not discharge into drains or rivers. 6.3. Methods and material for containment and cleaning up Clean-up procedures: Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. 6.4. Reference to other sections Reference to other sections: Refer to section 13 of SDS. Section 7: Handling and storage

## MOISTURE GUARD CLEAR SPRAY

#### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Smoking is forbidden.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from direct sunlight. Ensure lighting and electrical equipment are not a source of ignition.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

#### Hazardous ingredients:

# HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)

#### Workplace exposure limits: **Respirable dust** State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 1000ppm 1750mg/m3 1250ppm 2180mg/m3 -HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS UK 2,085mg/m3 --

#### ACETONE

UK 1210 mg/m3 3620 mg/m3		
--------------------------	--	--

#### **DNEL/PNEC** Values

## Hazardous ingredients:

## HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

Туре	Exposure	Value	Population	Effect
DNEL	Oral	149	Consumers	Local
DNEL	Inhalation	447	Consumers	Local
DNEL	Inhalation	2085	Workers	Local
DNEL	Dermal	300	Workers	Local

# ACETONE

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	186	Workers	Local
DNEL	Inhalation	2420	Workers	Local

# MOISTURE GUARD CLEAR SPRAY

# **Page:** 5

DNEL	Oral	62	Consumers	Systemic
PNEC	Fresh water	10.6	-	-
PNEC	Marine water	1.06	-	-
PNEC	Soil (agricultural)	33.3	-	-
PNEC	-	-	-	-

# 8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical	
	equipment are not a source of ignition.	
Respiratory protection:	Respiratory protection not normally required.	
Hand protection:	Protective gloves.	
Eye protection:	Safety glasses with side-shields.	
Skin protection:	Protective clothing.	
Environmental:	No data available	

# Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State:	Aerosol	
Colour:	Pale brown	
Odour:	Characteristic odour	
Evaporation rate:	Fast	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Insoluble	
Viscosity:	Non-viscous	
Boiling point/range°C:	< 0 Melting point/range°C:	< 0
Flammability limits %: lower:	1.8 upper:	9.4
Flash point°C:	<-100 Autoflammability°C:	> 200
Relative density:	0.6	

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

# 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: No data available.

## MOISTURE GUARD CLEAR SPRAY

# 10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## Section 11: Toxicological information

11.1. Information on toxicological effects

# Hazardous ingredients:

#### HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg

## ACETONE

IVN	RAT	LD50	5500	mg/kg
ORL	MUS	LD50	3	gm/kg
ORL	RAT	LD50	5800	mg/kg

## Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

# Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

Delayed / immediate effects: No data available.

# Section 12: Ecological information

12.1. Toxicity

## MOISTURE GUARD CLEAR SPRAY

Page: 7

#### Hazardous ingredients:

### HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

Daphnia magna	96H LC50	>1 < 10	mg/l
FISH	96H LC50	>1 <10	mg/l

#### ACETONE

BLUEGILL (Lepomis macrochirus)	LC50	8300	mg/l	
--------------------------------	------	------	------	--

# 12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Highly volatile.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

## 13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal		
	company.		
Recovery operations:	No data available		
Waste code number:	16 05 05		
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.		
NB:	The user's attention is drawn to the possible existence of regional or national		
	regulations regarding disposal.		

## Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2.1

#### MOISTURE GUARD CLEAR SPRAY

# 14.4. Packing group

Packing group: n/a

# 14.5. Environmental hazards

# Environmentally hazardous: No

Marine pollutant: No

# 14.6. Special precautions for user

Special precautions: No data available

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: No data available.

#### Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: No data available

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	Safety data sheet prepared in accordance with Commission Directive 2008/47/EC of 8
	April 2008 amending, for the purposes of adapting to technical progress, Council
	Directive 75/324/EEC relating to aerosol dispensers
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.
	H220: Extremely flammable gas.
	H222: Extremely flammable aerosol.
	H225: Highly flammable liquid and vapour.
	H229: Pressurised container: May burst if heated
	H280: Contains gas under pressure; may explode if heated.
	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
	H411: Toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.