

CHAINGUARD HI-LOAD SPRAY

 Page:
 1

 Compilation date:
 26/08/2014

 Revision date:
 15/05/2018

Revision No: 12

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: CHAINGUARD HI-LOAD SPRAY

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Chain Lubricant.

### **1.3. Details of the supplier of the safety data sheet**

#### Company name: ROCOL

	ROCOL House		
	Swillington		
	Leeds		
	West Yorkshire		
	LS26 8BS		
	ENGLAND		
Tel:	+44 (0) 113 232 2700		
Fax:	+44 (0) 113 232 2740		

Email: <u>customer-service@rocol.com</u>

### **1.4. Emergency telephone number**

Emergency tel: +44 (0) 113 232 2600

### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP:	Aquatic Chronic 3: H412; Flam. Aerosol 2: H223; STOT SE 3: H336; -: EUH066; -:
	EUH208; -: H229
Most important adverse effects:	Repeated exposure may cause skin dryness or cracking. Contains long chain alkyl
	amine, long chain alkyl acid. May produce an allergic reaction. Flammable aerosol.
	Pressurised container: May burst if heated. May cause drowsiness or dizziness. Harmful
	to aquatic life with long lasting effects.

#### 2.2. Label elements

### Label elements:

Hazard statements:	EUH066: Repeated exposure may cause skin dryness or cracking.
	EUH208: Contains long chain alkyl amine, long chain alkyl acid. May produce an allergic
	reaction.
	H223: Flammable aerosol.
	H229: Pressurised container: May burst if heated

### CHAINGUARD HI-LOAD SPRAY

Page: 2

H336: May cause drowsiness or dizziness.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER/doctor if you feel unwell.

P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS - REACH registered number(s): 01-2119463258-33

EINECS	CAS	PBT / WEL	CLP Classification	Percent
919-857-5	-	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336; -: EUH066	30-50%

#### HYDROTREATED MINERAL OIL (LESS THAN 3% DMSO EXTRACT)

265-155-0	64742-52-5	Substance with a Community	-	10-30%
		workplace exposure limit.		

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (NOTE L - < 3% DMSO EXTRACT) - REACH registered number(s): 01-2119483621-38

265-097-6	64741-96-4	Substance with a Community	-	10-30%
		workplace exposure limit.		

### CHAINGUARD HI-LOAD SPRAY

#### Page: 3

#### HYDROTREATED LIGHT DISTILLATE (PETROLEUM) - REACH registered number(s): 01-2119484819-18

265-149-8	64742-47-8	- Flam. Liq. 3: H226; Skin Irrit	. 2: H315;	1-10%
		STOT SE 3: H335; Asp. Tox	. 1: H304;	
		Aquatic Chronic 2: H411; ST	OT SE 3:	
		H336		
CARBON DIC		PROPELLANT - REACH registered number(s): EXEMPT - ANNEX	IV / V	

CARBON DIOXIDE AEROSOL PROPELLANT - REACH registered number(s): EXEMPT - ANN	EX IV /	V
--	---------	---

204-696-9	124-38-9	Substance with a Community	Press. Gas: H280	1-10%	
		workplace exposure limit.			

#### Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### CHAINGUARD HI-LOAD SPRAY

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Eliminate all sources of ignition.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Keep away from direct sunlight.

Suitable packaging: Should be kept in original packaging

7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

8.1. Control parameters

#### Hazardous ingredients:

#### HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

#### Workplace exposure limits:

#### **Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1200mg/m3, 197ppm	-	-	-

### CHAINGUARD HI-LOAD SPRAY

	ATED MINERAL OIL (LES	S THAN 3% DMSO EXTRA	ACT)	
UK	5mg/m3	-	-	-
DISTILLATE	ES (PETROLEUM), HYDRO	TREATED HEAVY NAPH	THENIC (NOTE L - < 3% D	MSO EXTRACT)
UK	5 mg/m3	10 mg/m3	-	-
	OXIDE AEROSOL PROPE	LLANT		
UK	5000ppm 9150mg/m3	15000ppm 27400mg/m3	-	-

## **DNEL/PNEC** Values

### Hazardous ingredients:

### HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

Туре	Exposure	Value	Population	Effect
DNEL	Dermal (repeated dose)	300	Workers	Local
DNEL	Inhalation (repeated dose)	1500	Workers	Systemic
DNEL	Dermal	300	Consumers	Systemic
DNEL	Inhalation (repeated dose)	900	Consumers	Systemic
DNEL	Oral (repeated dose)	300	Consumers	Systemic

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Hand protection: Protective gloves. Eye protection: Safety glasses. Ensure eye bath is to hand. Skin protection: Protective clothing. Environmental: No special requirement.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State:	Aerosol			
Colour:	Dark grey			
Odour:	Characteristic odour			
Evaporation rate:	Slow			
Oxidising:	Non-oxidising (by EC criteria)			
Solubility in water:	Not miscible			
Viscosity:	Oily			
Boiling point/range°C:	> 150	Melting point/range°C:	< 0	
Flammability limits %: lower:	0.6	upper:	7	
Flash point°C:	40	Part.coeff. n-octanol/water:	No data available.	
Autoflammability°C:	>200	Vapour pressure:	No data available.	
Relative density:	0.85	pH:	Approx. 7	
VOC g/l:	355		[0	cont]

### CHAINGUARD HI-LOAD SPRAY

### 9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight. Sources of ignition.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

#### **11.1. Information on toxicological effects**

#### Hazardous ingredients:

#### HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

DERMAL	RBT	LD50	> 5000	ppmV
DUST/MIST	RAT	4H LC50	>5	mg/l
ORAL	RAT	LD50	> 5000	mg/kg

#### **Relevant hazards for product:**

Hazard	Route	Basis
STOT-single exposure	-	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may
	cause coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

### CHAINGUARD HI-LOAD SPRAY

Page: 7

#### Other information: Not applicable.

### Section 12: Ecological information

### 12.1. Toxicity

### Hazardous ingredients:

#### HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, < 2% AROMATICS

ALGAE	-	>1000	mg/l
Daphnia magna	-	>1000	mg/l
GREEN ALGA (Selenastrum capricornutum)	-	100	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	>1000	mg/l

12.2. Persistence and degradability

#### Persistence and degradability: Not readily biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

#### Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company. Refer to local regulations for the disposal of aerosols.
Recovery operations:	No data available
Waste code number:	16 05 05
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

### **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS, FLAMMABLE

### CHAINGUARD HI-LOAD SPRAY

Marine pollutant: No

#### 14.3. Transport hazard class(es)

Transport class: 2.1

14.4. Packing group

Packing group: n/a

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### Section 16: Other information

# Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. EC Directive 94/1/EC adapting some technicalities of Council Directive 75/324/EEC on the approximation of the laws of Member States relating to aerosol dispensers. Compiled in accordance with REACH. Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking. EUH208: Contains <name of sensitising substance>. May produce an allergic reaction. H223: Flammable aerosol. H226: Flammable liquid and vapour. H229: Pressurised container: May burst if heated H280: Contains gas under pressure; may explode if heated. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H335: May cause respiratory irritation. H336: May cause drowsiness or dizziness. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.